

TEMPORARY CONSTRUCTION TRAILER CHECKLIST

NOTE: We will not accept any temp construction yard submittals without first receiving at least a first review of the Architectural/Civil submittal. DR approval must also be approved prior to submittal. Must have Environmental Clearance Memo included with submittal.

Temp Trailer submittal checklist:

- Site Plan showing location of trailer/trailers to include trailer dimensions and connected decks, shade structures if applicable.
- Indicate if trailers contain fire sprinklers and provide documentation reflecting the minimum water supply, size and pressure required.
 - * Show route of water supply line to point of connection and indicate type and location of cross-connection control.
 - * Fire Sprinklers are required for any singular or multiple grouping of trailers including connecting decks that exceed 5,000 s.f.
- Indicate whether you will be using SRP temp Power or temp generator.
 - * Provide a one line electrical diagram indicating size of S.E.S, size of subpanels and distribution panels, available fault current, method of protecting equipment from available fault current, sizes of all conductors, sizes of all over-current devices, size/type/location of grounding electrode conductors.
 - * Show location of S.E.S. and all subpanels on site plans.
 - * Clarify if construction power is intended to be provided from the S.E.S. serving the trailers and specify G.F.C.I. protection if applicable.
 - * Electrical systems over 300 amps must be designed by an Arizona Registered Electrical Engineer.
 - * Provide similar information for any on-site generators and indicate that generators will have spill protection/secondary containment and fire extinguishers. Provide dimension distances from generators to property lines, right of ways, other structures and combustible materials.
- Provide tie down information. Tie downs are to be selected and installed to industry standards and manufacturer's instructions. Specify the type/manufacture and minimum number of tie-downs to be provided.
- Indicate on site plan size and route of any sanitary sewer and or water piping to point of connections or otherwise clarify method of providing sanitation facilities or supply/holding tank sizes and locations

Temp Fence: (must be submitted together with temp trailer submittal package)

- Indicate on site plan perimeter/placement of fence.
 - * How will fence be secure? (Sandbags, stands, stakes)
 - * Will there be fence screening? (If so indicate as such, as well as any company advertisements/print/Logos)

Temp. Construction Signs and Banners: (must be submitted separately)

- Free standing signs must include sign dimensions, material (wood, metal), footing details and placement must be identified on site plan observing the visual triangle guidelines.
- For Banners secured to a fence, indicate advertisement /print/Logo and where and how and where it will be secure (e.g. zip ties) also observing visual triangle guidelines.

Once all review activities are completed and approved, applicants will receive an email notification that the permit is ready to be issued. Before permit issuance, Contractor must also have a current SRPMIC Business license.

One can be obtained at the following link: <https://businesslicense.srpmic-nsn.gov/LicenseTax/>